




City2BA: Tools for creating synthetic bundle adjustment problems

Tristan Konolige ¹

¹ University of Colorado Boulder

DOI: [10.21105/joss.03125](https://doi.org/10.21105/joss.03125)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Arfon Smith](#)  

Reviewers:

- [@adi3](#)

Submitted: 28 February 2020

Published: 11 January 2023

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Statement of Need

Synthetic datasets have zero error and so are useful in testing the accuracy and correctness of different methods. To test different algorithms, the ground truth datasets need some form of added error. Currently, there's a lack of tools for adding errors to simulate different inaccuracies in Structure from Motion (SfM) methods. **City2BA** aims to address this need by providing variety of different types of error.

Summary

Bundle adjustment is a global nonlinear optimization step used in SfM and simultaneous localization and mapping (SLAM). It is usually formulated as a nonlinear least-squares problem where the goal is to minimize the error between the projected location of 3D points in each camera and the actual observed location of the point in the camera frames. Triggs et al. (1999) provides a good overview of the formulation and uses of bundle adjustment. For SLAM, the bundle adjustment problem is small, but for SfM, problem sizes can grow very large. Ideally, developers of new bundle adjustment algorithms would like to test against real world data however not many datasets are available (the authors only know of 1DSFM (Wilson & Snavely, 2014) and [Bundle Adjustment in the Large](#) (Agarwal et al., 2010)), and these datasets are limited in size and structure. We know large datasets exists and are in use (see Klingner et al. (2013)), but these datasets are not available to the public. To facilitate the development of bundle adjustment algorithms, we developed the **City2BA** package which can generate large, synthetic bundle adjustment datasets.

City2BA provides two main features: generation of synthetic datasets from models, and tools to add noise to existing datasets. Synthetic dataset generation can either use an existing 3D model (in .obj format), or can operate on an implicit model of a grid or a line. The user can specify the problem size as well as parameters like number of 3D points and maximum distance between a camera and an observed point. The user can also modify problem structure by using different 3D models or placing different camera paths. Cameras can either be generated in a streetview-like scenario where cameras are placed along a path, or placed in random locations in the geometry.

City2BA is provided both as a set of command line tools (for convenience) and as a library (for extensibility). Currently, **City2BA** ships with a single camera model commonly used in the literature (see Agarwal et al. (2010)), but the user can add their own camera model if they so choose. It is optimized and can generate very large models (100,000 cameras, 1,000,000) in less than an hour.

References

- Agarwal, S., Snavely, N., Seitz, S. M., & Szeliski, R. (2010). Bundle adjustment in the large. *European Conference on Computer Vision*, 29–42.
- Klingner, B., Martin, D., & Roseborough, J. (2013). Street view motion-from-structure-from-motion. *Proceedings of the IEEE International Conference on Computer Vision*, 953–960. <https://doi.org/10.1109/iccv.2013.122>
- Triggs, B., McLauchlan, P. F., Hartley, R. I., & Fitzgibbon, A. W. (1999). Bundle adjustment—a modern synthesis. *International Workshop on Vision Algorithms*, 298–372.
- Wilson, K., & Snavely, N. (2014). Robust global translations with 1DSFM. *Computer Vision – ECCV 2014*, 61–75. https://doi.org/10.1007/978-3-319-10578-9_5