

# PatchView: A Python Package for Patch-clamp Data Analysis and Visualization

### Ming Hu<sup>1,2</sup> and Xiaolong Jiang<sup>1,2,3</sup>

1 Department of Neuroscience, Baylor College of Medicine, Houston, TX 2 Jan and Dan Duncan Neurological Research Institute at Texas Children's Hospital, Houston, TX, USA 3 Department of Ophthalmology, Baylor College of Medicine, Houston, TX

### **DOI:** 10.21105/joss.04706

### Software

- Review C<sup>\*</sup>
- Repository 🗗
- Archive 🗗

### Editor: Jacob Schreiber ♂ ◎ Reviewers:

- @mstimberg
  - @janfreyberg

Submitted: 22 July 2022 Published: 09 October 2022

### License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0).

## Summary

PatchView is a Python package for visualizing and analyzing multi channel patch-clamp (multipatch) data (Neher & Sakmann, 1992), including intrinsic membrane properties and firing pattern analysis (Komendantov et al., 2019; McKinney et al., 2022), mini-event analysis(Clements & Bekkers, 1997), synaptic connection detection (Jiang et al., 2015), morphological analysis (Palacios et al., 2022) and more.

PatchView integrates multiple open-source tools and provides an intuitive graphic user interface (GUI) for navigating through the data files and analyses pipeline. It is aimed to enable users to perform most analysis quickly for the data collected in a typical patch-clamp experiment without managing a Python environment or writing any Python scripts.

Please refer to the full documentation and the source code for detailed information.

## Statement of Need

### Research purpose

PatchView was designed to be used by neuroscientists for handling electrophysiology data recorded from cells in alive tissues (such as brain slice or cultured cells) in patch-clamp experiments. The target audience is anyone working with patch-clamp data, with or without programming skills.

### Problems solved

Main functionalities of PatchView:

- Importing both Heka data and Axon Instruments data. Exporting to Python pickle file or NWB (Neurodata Without Borders) file format (Rübel et al., 2022).
- Visualizing single and multiple traces with zoom, pan operations.
- Automatically sorting experiments data according to predefined labels.
- Performing analysis on intrinsic membrane properties, action potential detection, firing pattern analysis (Figure 1).
- Synaptic connection analysis (Figure 3).
- Mini-event analysis (Figure 2).
- Visualizing and quantification of neuron's morphological reconstruction from Neurolucida

### Compares to other commonly-used packages


Commercial software such as Patchmaster, Clampfit provide rich functions for handling this type of data. However, the former only supports Heka data, while the latter only support Axon



Instruments data. PatchView supports both .dat (from Heka) and .abf format (from Axon Instruments). To facilitate data sharing, PatchView could export imported data as NWB file.

Stimfit(Guzman et al., 2014) is a well-known python package for dealing with pre/post synaptic events in single channel. Compared to Stimfit, PatchView also provides more intuitive user interface (Figure 2) and more native support for Heka dat file. For instance, most of the time, a Heka dat file may host data recorded in multiple experiments from a single cell. These experiments may need to be analyzed with different pipelines. PatchView leverages the labels (those are usually predefined by experimenters for each protocols) associated with each experiment to automatically sort data into its corresponding category. Sorted data can be directly submitted to downstream pipeline, such as mini-event analysis.

In addition to that, other software mentioned above does not support analysis for data recorded from multiple channels simultaneously. PatchView supports multi-channel analysis, such as synaptic connection analysis (Figure 3).




Figures

**Figure 1:** PatchView graphic user interface. Top left: file browsers. Middle left: experiments data inner trial selection. Right: multiple plots during a typical analysis). The toolbar is seen on the far right edge of the interface.



owser Firing pattern Conne																	
			180514s2sp Series1 :														
e e e încărie e e						•••	• ••••										
				1													
			2120002520														
الطر المتمسطين	متباحلنا اللايت تشتع ليعلم	and the state of the		ويتباد المتراب المترابسية المرابسية			الماللات	the local sector	10.00								
												ls ∎					
											۲.	111					
	lin.					1					7	w. 1 * No	Lat.				
		111		d i l		. d					WA	· · ·	Willing Willing	A	Mathu	1. Horney	
o de techoret light de la						a and a state of the			-	444	200 m		Walker	A MANA ANA	14/14/4	Mark of Re-	
									1								
									60								
	k detection Event postprocessi	ng Helps			Ter	mplate List	Template Fit		Floures								
arameter						-prote cost			-wies								
	Value				^	April Dat	trace	type	onset	peak	downStroke	peak time	peak loc-height	peak abs-height	recordingTime	InUse	^
Detection method					^ 59	2	trace			peak 476921	downStroke 477152	peak time 28.6	peak loc-height 1.23e-11	· · ·	recordingTime	InUse True	^
Detection method Event Criterion	Value Template match			5	59	z	trace	type auto	onset 476875	476921	477152	28.6	1.23e-11	1.826-11	60	True	î
Detection method Event Criterion Detect current sweep	Template match				59 60	2	trace	type auto	onset 476875 493302	476921 493386	477152 493617	28.6 29.6	1.23e-11 4.91e-11	1.82e-11 5.18e-11	60	True True	Î
Detection method Event Criterion	Template match				59	z	trace	type auto	onset 476875	476921	477152	28.6	1.23e-11	1.82e-11 5.18e-11	60	True	Î
Detection method Event Criterion Detect current sweep	Template match				59 60 61	2 2 2	trace	type auto auto	onset 476875 493302 494375	476921 493386 494439	477152 493617 494670	28.6 29.6 29.7	1.23e-11 4.91e-11 1.68e-11	1.82e-11 5.18e-11 1.68e-11	60	True True True	Î
Detection method Event Criterion Detect current sweep Detect events for all sweeps Update events Peak parameters for deconvol	Template match				59 60 61 62	2 2 2 2	trace	type auto auto auto auto	onset 476875 493302 494375 513750	470921 493386 494439 513824	477152 493617 494670 514055	28.6 29.6 29.7 30.8	1.23e-11 4.91e-11 1.68e-11 3.52e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11	60 60 60	True True True True True True	
Detection method           Event Criterion           Detect current sweep           Detect events for all sweeps           Update events           Peak parameters for deconvol           Threshold (stdev)	Template match			-	59 60 61	2 2 2 2	trace	type auto auto	onset 476875 493302 494375	476921 493386 494439	477152 493617 494670	28.6 29.6 29.7	1.23e-11 4.91e-11 1.68e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11	60 60 60	True True True	Î
Detection method Event Criterion Detect current sweep Detect events for all sweeps Update events     Peak parameters for deconvol Threshold (stdev) Distance	Template match ed trace 3 5			3	59 60 61 62	2 2 2 2 2 2	trace	type auto auto auto auto	onset 476875 493302 494375 513750	470921 493386 494439 513824	477152 493617 494670 514055	28.6 29.6 29.7 30.8	1.23e-11 4.91e-11 1.68e-11 3.52e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11	60 60 60	True True True True True True	
Detection method     Event Criterion     Detect current sweepp     Detect events for all sweeps     Update events      Peak parameters for deconvol     Threshold (stdev)     Distance     Wien (samples)	Template match ed trace 3 5 50			<b>a</b> a a	59 60 61 62 63 64	2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto	enset 478875 493302 494375 513750 523956 545877	476921 493386 494439 513824 524030 545943	477152 493617 494670 514055 524261 546174	28.6 29.6 29.7 30.8 31.4 32.8	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.87e-11 2.07e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11	60 60 60 60 60	True True True True True True	^
Detection method     Event Criterion     Detect current sweep     Detect works for all sweeps     Update events     Update events     transhold (statev)     Ditance     Wilen (samples)     Preminence (mV)	Template match ked trace 3 5 50 500 mmV			9 9 9 9 9 9 9	59 60 61 62 63 64 65	2 2 2 2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto auto	enset 476675 493302 494375 513750 523956 545677 577298	476921 403386 404430 513824 524030 545943 545943 577374	477152 493617 494670 514055 524261 546174 577605	28.6 29.6 29.7 30.8 31.4 32.8 34.6	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.87e-11 2.07e-11 2.02e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11	60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect current sweeps Update events Peak parameters for deconvol Trinschild (stdev) Distance Wien (samples) Preminence (pA)	Template match ed trace 3 5 50			<b>a</b> a a	59 60 61 62 63 64	2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto	enset 478875 493302 494375 513750 523956 545877	476921 493386 494439 513824 524030 545943	477152 493617 494670 514055 524261 546174	28.6 29.6 29.7 30.8 31.4 32.8	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.87e-11 2.07e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11	60 60 60 60 60	True True True True True True	
Detection method Event Citation Detect count sweep Detect events for all revenps Update events Preak parameters for docoword Distance Wilen (samples) Preminence (mY) Preminence (A) Vilen	Template match ded trace 3 5 50 500 mmV 500 mmP			2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	59 60 61 62 63 64 65 65	2 2 2 2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto auto	enset 476675 493302 494375 513750 523956 545677 577298	476921 403386 404430 513824 524030 545943 545943 577374	477152 493617 494670 514055 524261 546174 577605	28.6 29.6 29.7 30.8 31.4 32.8 34.6	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.87e-11 2.07e-11 2.02e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11 8.96e-11	60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect current sweep Detect events for all sweeps Update events Peak parameters for deconvol Threshold (tideo) Distance Wein (samples) Prominence (mV) Prominence (mV) width minimi	Template match ded trace 3 5 50 500 mmV 500 mpA 2			2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	59 60 61 62 63 64 65 65 65 65	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto auto auto auto	enset 476875 493302 494375 513750 523956 545877 577298 580741 600840	470921 403386 404439 513824 524030 545943 577374 580840 600914	477152 492617 494670 514055 524261 546174 577605 581071 601145	28.6 29.6 29.7 30.8 31.4 32.8 34.6 34.6 34.9 36.1	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.07e-11 2.07e-11 2.02e-11 9.01e-11 1.55e-10	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11 8.90e-11 1.49e-10	60 60 60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect covers for all workers Update events Testahol (data) Distance Wilen (samples) Prominance (mit) Prominance (m	Template match ded trace 3 5 50 500 mmV 500 mpA 2 50			2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	59 60 61 62 63 64 65 65	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto auto auto	enset 476875 493302 494375 513750 523956 545877 577298 580741	470921 4093386 404439 513824 524030 545943 545943 577374 580840	477152 493617 494670 514055 524261 546174 577605 581071	28.6 29.6 29.7 30.8 31.4 32.8 34.6 34.9	1.23e-11 4.91e-11 1.58e-11 3.52e-11 2.07e-11 2.07e-11 2.02e-11 9.01e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11 8.90e-11 1.49e-10	60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect connet sweep Detect counts of all sweeps Update events Posk parameters for deconvol Threshold (stator) Distance Wen (samplet) Prominance (mV) Prominance (mV) Prominance (mV) Prominance error maximal maximal	Template match ded trace 3 5 50 500 mmV 500 mpA 2 30 e				59 60 61 63 64 65 65 65 65 65 65	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	trace	type auto auto auto auto auto auto auto auto	enset 476875 493302 494375 513750 523956 545877 577298 580741 600840	470921 403386 404439 513824 524030 545943 577374 580840 600914	477152 492617 494670 514055 524261 546174 577605 581071 601145	28.6 29.6 29.7 30.8 31.4 32.8 34.6 34.6 34.9 36.1	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.07e-11 2.07e-11 2.02e-11 9.01e-11 1.55e-10	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.7e-11 2.2e-11 1.6e-11 8.96e-11 1.49e-10 2.09e-11	60 60 60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Citation Detect courses reverp Detect courses for all weekpen Update events Peak parameters for deconvol Thresheld (taxon) Distance Wilen (samples) Preminance (mk) Preminance (m	Template match ded trace 3 5 50 500 mm/V 500 mm/A 2 50 50 50 50 50 50 50 50 50 50				59 60 61 62 63 64 65 65 65 65 65 65 68 99	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	brace	type auto auto auto auto auto auto auto auto	enset 478675 493302 494375 513750 523956 545877 577298 590741 600840 606762 613437	470921 403386 404439 513824 524030 545943 577374 580840 600914 608844 613529	477152 493617 494670 514055 524261 546174 577605 581071 601145 607075 613760	23.6 29.6 29.7 30.8 31.4 32.8 34.6 34.9 35.1 35.4 36.4 36.8	1,23e-11 4,91e-11 1,58e-11 3,52e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 4,45e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.2e-11 1.6e-11 1.6e-11 1.49e-10 2.09e-11 4.28e-11	60 60 60 60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect oversh for all receipt Update events Terschild (take) Distance Witen (samples) Prominance (pA) Witen (samples) Prominance (pA) witen (samples) Prominance (pA) maximal maximal Probaparameters for are trace Peak praneters for are trace Peak praneters for are trace Peak Threshold (take)	Template match ded trace 3 5 50 500 mmV 500 mpA 2 30 e				59 60 61 62 63 64 65 65 65 65 65 65 77 68 99 70	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	brace	type auto auto auto auto auto auto auto auto	enset 478875 493302 494375 513750 523956 543877 577298 590741 600640 606762	470921 403386 404439 513824 524030 545943 577374 580840 600914 606844	477152 493617 494670 514055 524261 546174 577605 581071 601145 607075	23.6 29.6 29.7 30.8 31.4 32.8 34.6 34.9 36.1 36.4	1.23e-11 4.91e-11 1.68e-11 3.52e-11 2.07e-11 2.07e-11 2.02e-11 9.01e-11 1.55e-10 2.45e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.2e-11 1.6e-11 1.6e-11 1.49e-10 2.09e-11 4.28e-11	60 60 60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection method Event Criterion Detect current presep Update events Text President current Presentation (Samples) Prominance (pA) Prominance (pA) Presimance (pA) Pres	Template match Template match 8ed trace 3 5 50 500 mpA 2 500 mpA 2 5 5 5 5 5 5 500 mpA 2 5 5 5 5 5 5 5 5 5 5 5 5 5				59 60 61 62 63 64 65 65 65 65 65 65 77 68 99 70	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	brace	type auto auto auto auto auto auto auto auto	enset 478675 493302 494375 513750 523956 545877 577298 590741 600840 606762 613437	470921 403386 404439 513824 524030 545943 577374 580840 600914 608844 613529	477152 493617 494670 514055 524261 546174 577605 581071 601145 607075 613760	23.6 29.6 29.7 30.8 31.4 32.8 34.6 34.9 35.1 35.4 36.4 36.8	1,23e-11 4,91e-11 1,58e-11 3,52e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 4,45e-11	1.82e-11 5.18e-11 1.68e-11 3.57e-11 2.2e-11 1.6e-11 1.6e-11 1.49e-10 2.09e-11 4.28e-11	60 60 60 60 60 60 60 60 60 60 60 60 60	True True True True True True True True	
Detection encloid Event Cattorne Detect current series () Detect current series () Detect current series () Detect current series () Detection () Det	Template match Med trace 3 5 500 mmV 200 mmV 2 30 mmV 2 30 4 3 2 1 1 1 m5				59 60 61 62 63 64 65 65 65 65 67 68 69 70 71	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	trace	type           type           tutto	enset 476873 483302 484375 513750 533956 545877 577288 580741 600840 60562 613437 613811 60450	476921 493386 404439 513824 524930 545943 577374 580649 580649 606844 613529 613899 624857	477152 4898617 494670 514055 5242661 5342661 546174 577605 581071 501145 601145 601145 613760 614130 635088	28.6 29.6 29.7 30.8 31.4 34.6 34.9 36.1 36.4 36.8 36.8 36.8 36.8 37.5	1.23e-11 4.91e-11 1.58e-11 3.52e-11 2.07e-11 2.07e-11 2.02e-11 9.01e-11 3.155e-10 2.45e-11 4.46e-11 2.81e-11 2.81e-11	1.82e-11 5.18e-11 5.88e-11 3.57e-11 2.7e-11 2.7e-11 2.2e-11 1.86e-11 2.89e-11 2.09e-11 4.28e-11 4.58e-11 2.18e-11	60 60 60 60 60 60 60 60 60 60 60 60 60 6	Tue	
Detection method Evert Criterion Detect current presegner Update current for an avargen- Update current Perse parameters for an avargen- View (samples) Provinance (pA) View (samples) Provinance (pA) View (samples) Provinance (pA) View (samples) Provinance (pA) View (samples) Provinance (sA) View (samples) Provinance (sA) View (samples) Provinance (sA) View (sA) Provinance (sA) View (sA) View (sA) Provinance (sA)	Template match Med trace 3 5 500 mmV 200 mmV 2 30 mmV 2 30 4 3 2 1 1 1 m5				59 60 61 62 63 64 65 65 65 65 65 63 69 70	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	trace	type           type           tutto           tutto	enset 476875 493302 494375 513750 533956 545877 577288 580741 600640 665762 613437 613811	470921 409386 404439 513824 524030 545943 577374 580840 600914 606844 613529 613899	477152 493617 494670 514055 524261 546174 577605 581071 601145 607075 613760 614130	23.6 29.6 29.7 30.8 31.4 32.8 34.6 34.6 34.9 36.1 36.4 36.4 36.8 36.8	1,23e-11 4,91e-11 1,58e-11 3,52e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 2,87e-11 1,55e-10 2,45e-11 4,46e-11 2,81e-11	1.82e-11 5.18e-11 5.88e-11 3.57e-11 2.7e-11 2.2e-11 1.88e-11 1.88e-11 1.88e-11 2.38e-11 2.38e-11 2.18e-11 2.18e-11 2.22e-11	60 60 60 60 60 60 60 60 60 60 60 60 60	True	

**Figure 2:** PatchView mini-event analysis GUI. Top left: large-scale view of the trace. The top yellow line is the original trace. The bottom white trace is a deconvolved trace with separate threshold (red horizontal line). Top right: currently selected event. Bottom left: parameters panel. Bottom right: table for detected events' detailed quantification.



Г	Dat file	Serieldx	Source Chan	Target Chan	Baseline(mV)	Peak value(mV)	Delta(mV)	Delay(mS)	Trial consistency	^
1	180719s1c2r2.dat	[0, 0]	2	1	-63	-66.1	-3.09	6.66	0.433	
2	180719s1c2r2.dat	[0, 0]	2	8	-63	-63.3	-0.36	9.48	0.433	
3	180719s1c7r1.dat	[0, 1]	7	1	-60.6	-64	-3.44	12.4	0.739	
4	180719s1c7r1.dat	[0, 1]	7	2	-60.6	-66.2	-5.67	7.26	0.739	
5	180719s1c7r1.dat	[0, 1]	7	8	-60.6	-61.9	-1.37	16.1	0.739	~

**Figure 3:** PatchView synaptic connection analysis GUI. Middle left: data series browser. It lists series recorded in a set of synaptic connection experiments from a group of neurons simultaneously recorded in the same slice. Top right: the left plot shows averaged traces of stimuli invoked responses. titles show the channel names of pre and post neurons. The right plot is a graph representation of detected connections. Bottom right panel: quantification of detected connections: including peak voltage, peak height, peak delay, trial consistency.

Hu, & Jiang. (2022). PatchView: A Python Package for Patch-clamp Data Analysis and Visualization. *Journal of Open Source Software*, 7(78), 3 4706. https://doi.org/10.21105/joss.04706.



## Acknowledgements

We acknowledge open-source packages (please see the documentation for the detailed list) that are used in PatchView. We would like to thank lab members in Dr. Xiaolong Jiang's lab for their feedback in using PatchView for their data analysis. The work is supported by the grants R01 MH122169 and R01 MH120404 (to XJ) from the National Institutes of Health.

We thank JOSS editor and reviewers for their very useful comments and suggestions during the JOSS review process.

## References

- Clements, J., & Bekkers, J. (1997). Detection of spontaneous synaptic events with an optimally scaled template. *Biophysical Journal*, 73(1), 220–229. https://doi.org/10.1016/ S0006-3495(97)78062-7
- Guzman, S. J., Schlögl, A., & Schmidt-Hieber, C. (2014). Stimfit: Quantifying electrophysiological data with python. Frontiers in Neuroinformatics, 8, 16. https://doi.org/10.3389/ fninf.2014.00016
- Jiang, X., Shen, S., Cadwell, C. R., Berens, P., Sinz, F., Ecker, A. S., Patel, S., & Tolias, A. S. (2015). Principles of connectivity among morphologically defined cell types in adult neocortex. *Science*, 350(6264), aac9462. https://doi.org/10.1126/science.aac9462
- Komendantov, A. O., Venkadesh, S., Rees, C. L., Wheeler, D. W., Hamilton, D. J., & Ascoli, G. A. (2019). Quantitative firing pattern phenotyping of hippocampal neuron types. *Scientific Reports*, 9(1), 1–17. https://doi.org/10.1038/s41598-019-52611-w
- McKinney, A., Hu, M., Hoskins, A., Mohammadyar, A., Naeem, N., Jing, J., Patel, S. S., Sheth, B. R., & Jiang, X. (2022). Cellular and circuit organization of the locus coeruleus of adult mice. *bioRxiv*. https://doi.org/10.1101/2022.03.01.481656
- Neher, E., & Sakmann, B. (1992). The patch clamp technique. *Scientific American*, *266*(3), 44–51. https://doi.org/10.1038/scientificamerican0392-44
- Palacios, J., lidakanari, Zisis, E., MikeG, Coste, B., asanin-epfl, Vanherpe, L., jdcourcol, Arnaudon, A., Berchet, A., haleepfl, Getta, P., Povolotsky, A. V., Sato, A., alex4200, bbpgithubaudit, Amsalem, O., & tomdele. (2022). *BlueBrain/NeuroM: v3.2.0* (Version v3.2.0) [Computer software]. Zenodo. https://doi.org/10.5281/zenodo.6524037
- Rübel, O., Tritt, A., Ly, R., Dichter, B. K., Ghosh, S., Niu, L., Soltesz, I., Svoboda, K., Frank, L., & Bouchard, K. E. (2022). The neurodata without borders ecosystem for neurophysiological data science. *bioRxiv*. https://doi.org/10.1101/2021.03.13.435173