




Ambit – A FEniCS-based cardiovascular multi-physics solver

Marc Hirschvogel ^{1,2}

¹ Department of Biomedical Engineering, School of Biomedical Engineering & Imaging Sciences, King's College London, London, United Kingdom ² MOX, Dipartimento di Matematica, Politecnico di Milano, Milan, Italy

DOI: [10.21105/joss.05744](https://doi.org/10.21105/joss.05744)

Software

- [Review](#) 
- [Repository](#) 
- [Archive](#) 

Editor: [Kevin M. Moerman](#)  

Reviewers:

- [@finsberg](#)
- [@IgorBaratta](#)
- [@CZHU20](#)

Submitted: 07 July 2023

Published: 16 January 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Ambit is an open-source multi-physics finite element solver written in Python, supporting solid and fluid mechanics, fluid-structure interaction (FSI), and lumped-parameter models. It is tailored towards solving problems in cardiac mechanics, but may also be used for more general nonlinear finite element analysis. The code encompasses re-implementations and generalizations of methods developed by the author for his PhD thesis ([Hirschvogel, 2019](#)) and beyond. Ambit makes use of the open-source finite element library [FEniCS/dolfinx](#) ([Logg et al., 2012](#)) along with the linear algebra package [PETSc](#) ([Balay et al., 2022](#)), hence guaranteeing a state-of-the-art finite element and linear algebra backend. It is constantly updated to ensure compatibility with a recent dolfinx development version. I/O routines are designed such that the user only needs to provide input files that define parameters through Python dictionaries, hence no programming or in-depth knowledge of any library-specific syntax is required.

Ambit provides general nonlinear (compressible or incompressible) finite strain solid dynamics ([Holzapfel, 2000](#)), implementing a range of hyperelastic, viscous, and active material models. Specifically, the well-known anisotropic Holzapfel-Ogden ([Holzapfel & Ogden, 2009](#)) and Guccione models ([Guccione et al., 1995](#)) for structural description of the myocardium are provided, along with a bunch of other models. It further implements strain- and stress-mediated volumetric growth models ([Göktepe et al., 2010](#)) that allow to model (maladaptive) ventricular shape and size changes. Inverse mechanics approaches to imprint loads into a reference state are implemented using the so-called prestressing method ([Gee et al., 2010](#)) in displacement formulation ([Schein & Gee, 2021](#)).

Furthermore, fluid dynamics in terms of incompressible Navier-Stokes/Stokes equations – either in Eulerian or Arbitrary Lagrangian-Eulerian (ALE) reference frames – are implemented. Taylor-Hood elements or equal-order approximations with SUPG/PSPG stabilization ([Tezduyar & Osawa, 2000](#)) can be used.

A variety of reduced 0D lumped models targeted at blood circulation modeling are implemented, including 3- and 4-element Windkessel models ([Westerhof et al., 2009](#)) as well as closed-loop full circulation ([Hirschvogel et al., 2017](#)) and coronary flow models ([Arthurs et al., 2016](#)).

Monolithic fluid-solid interaction (FSI) ([Nordsletten et al., 2011](#)) in ALE formulation using a Lagrange multiplier field is supported, along with coupling of 3D and 0D models (solid or fluid with 0D lumped circulation systems) such that cardiovascular simulations with realistic boundary conditions can be performed.

Implementations for a recently proposed novel physics- and projection-based model reduction for FSI, denoted as fluid-reduced-solid interaction (FrSI) ([Hirschvogel et al., 2022](#)), are provided, along with POD-based Galerkin model reduction techniques ([Farhat et al., 2014](#)) using full or boundary subspaces.

The nonlinear (single- or multi-field) problems are solved with a customized Newton solver with PTC (Gee et al., 2009) adaptivity in case of divergence, providing robustness for numerically challenging problems. Linear solvers and preconditioners can be chosen from the PETSc repertoire, and specific block preconditioners are made available for coupled problems.

Avenues for future functionality include cardiac electrophysiology, scalar transport, or finite strain plasticity.

Statement of need

Cardiovascular disease entities are the most prevalent ones in the industrialized world (Dimmeler, 2011; Luepker, 2011) and a leading cause of death worldwide. Therefore, models that promote a better understanding of cardiac diseases and their progression represent a valuable tool to guide or assist therapy planning, support device dimensioning and design (Hirschvogel et al., 2019), or help predict intervention planning (Bonini et al., 2022; Taylor et al., 2013).

Software packages that are tailored towards cardiac modeling have been provided to the open source community. Amongst them are the cardiovascular FSI solver svFSI (Zhu et al., 2022) along with SimVascular (Updegrave et al., 2017), providing a full medical image-to-model pipeline, as well as FEBio (Maas et al., 2012), focusing on advanced structural mechanics of soft tissue. FEniCS-based open-source solvers are pulse (Finsberg, 2019) for cardiac solid mechanics and cbcbeat (Rognes et al., 2017) for cardiac electrophysiology, both fused to a combined toolkit for cardiac electro-mechanics named simcardems (Finsberg et al., 2023). Another framework for simulating cardiac electrophysiology is openCARP (Plank et al., 2021), and CRIMSON (Arthurs et al., 2021) provides a modeling suite for 3D and reduced-dimensional hemodynamics in arteries. A general purpose library that provides the building blocks for cardiac modeling is lifex (Africa, 2022), and a FEniCS-based monolithic FSI solver for general applications is turtleFSI (Bergersen et al., 2020).

Ambit represents a complete open-source code for simulating cardiac mechanics, encompassing advanced structural mechanics of the myocardium, ventricular fluid dynamics, reduced-dimensional blood flow, and multi-physics coupling. Therefore, a wide range of mechanical problems can be simulated, and the code structure allows easy and straightforward extensibility (e.g. implementations of new constitutive models) without the need for low-level library-specific syntax or advanced programming. Due to its simple design in terms of clearly organized input files, Ambit is easy to use and hence represents a valuable tool for novices or advanced researchers who want to address cardiovascular mechanics problems.

Basic code structure

Figure 1 represents a basic sketch of the main building blocks of Ambit. Depending on the physics of interest, the respective problem class is instantiated along with all the necessary input parameters, including boundary conditions (Dirichlet, Neumann, Robin), load curves, specification of coupling interfaces, etc. Single-physics problems like nonlinear elastodynamics (problem type `solid`) or fluid mechanics (problem type `fluid`) as well as 0D blood flow (problem type `flow0d`) can be solved as standalone problems. Additionally, FSI (problem type `fsi`) and 3D-0D coupling for 0D flow to 3D solid or fluid domains is supported (problem types `solid_flow0d` and `fluid_flow0d`), as well as fluid mechanics in ALE description (problem type `fluid_ale`), plus coupling to 0D models (problem types `fluid_ale_flow0d` and `fsi_flow0d`).

The (coupled) problem object then is passed to a solver class, which calls the main routine to solve the nonlinear problem. This routine implements a time stepping scheme and a monolithic Newton solver which solves the (coupled multi-physics or single-field) problem and updates all variables simultaneously.




Figure 1: Basic sketch of Ambit code structure: Problem class, solver class, and main code execution flow. Single-physics problems that can be solved encompass solid mechanics (solid), fluid mechanics (fluid), or OD models (flow0d). Two-physics problems like 3D-0D coupling (solid_flow0d, fluid_flow0d), as well as fluid in ALE description (fluid_ale) are defined by instantiating the respective single-physics problems. Three-physics problems arise for coupling of ALE fluid to OD models (fluid_ale_flow0d) or for fluid-solid interaction (fsi), whereas four-physics problems would encompass FSI linked to OD models (fsi_flow0d). Note that the single-physics problem ale just mimics a dummy linear elastic solid and would be irrelevant as a standalone problem.

References

- Africa, P. C. (2022). lifex: A flexible, high performance library for the numerical solution of complex finite element problems. *SoftwareX*, 101252. <https://doi.org/10.1016/j.softx.2022.101252>
- Arthurs, C. J., Khlebnikov, R., Melville, A., Marčan, M., Gomez, A., Dillon-Murphy, D., Cuomo, F., 1, M. S. V., Schollenberger, J., Lynch, S. R., Tossas-Betancourt, C., Iyer, K., Hopper, S., Livingston, E., Youssefi, P., 1, A. N., Ahmed, S. B., Nauta, F. J. H., Bakel, T. M. J. van, ... Figueroa, C. A. (2021). CRIMSON: An open-source software framework for cardiovascular integrated modelling and simulation. *PLoS Comput Biol*, 17(5), e1008881. <https://doi.org/10.1371/journal.pcbi.1008881>
- Arthurs, C. J., Lau, K. D., Asrress, K. N., Redwood, S. R., & Figueroa, C. A. (2016). A mathematical model of coronary blood flow control: Simulation of patient-specific three-

- dimensional hemodynamics during exercise. *Am J Physiol Heart Circ Physiol*, 310(9), H1242–H1258. <https://doi.org/10.1152/ajpheart.00517.2015>
- Balay, S., Abhyankar, S., Adams, M. F., Benson, S., Brown, J., Brune, P., Buschelman, K., Constantinescu, E., Dalcin, L., Dener, A., Eijkhout, V., Gropp, W. D., Hapla, V., Isaac, T., Jolivet, P., Karpeev, D., Kaushik, D., Knepley, M. G., Kong, F., ... Zhang, J. (2022). *PETSc/TAO users manual* (ANL-21/39 - Revision 3.17). Argonne National Laboratory.
- Bergersen, A. W., Slyngstad, A., Gjertsen, S., Souche, A., & Valen-Sendstad, K. (2020). turtleFSI: A robust and monolithic FEniCS-based fluid-structure interaction solver. *The Journal of Open Source Software*, 5(50), 2089. <https://doi.org/10.21105/joss.02089>
- Bonini, M., Hirschvogel, M., Ahmed, Y., Xu, H., Young, A., Tang, P. C., & Nordsletten, D. (2022). Hemodynamic modeling for mitral regurgitation. *The Journal of Heart and Lung Transplantation*, 41(4 (Supplement)), S218–S219. <https://doi.org/10.1016/j.healun.2022.01.1685>
- Dimmeler, S. (2011). Cardiovascular disease review series. *EMBO Mol Med*, 3(12), 697. <https://doi.org/10.1002/emmm.201100182>
- Farhat, C., Avery, P., Chapman, T., & Cortial, J. (2014). Dimensional reduction of nonlinear finite element dynamic models with finite rotations and energy-based mesh sampling and weighting for computational efficiency. *International Journal for Numerical Methods in Engineering*, 98(9), 625–662. <https://doi.org/10.1002/nme.4668>
- Finsberg, H. N. T. (2019). pulse: A python package based on FEniCS for solving problems in cardiac mechanics. *The Journal of Open Source Software*, 4(41), 1539. <https://doi.org/10.21105/joss.01539>
- Finsberg, H. N. T., Herck, I. G. M. van, Daversin-Catty, C., Arevalo, H., & Wall, S. (2023). simcardems: A FEniCS-based cardiac electro-mechanics solver. *The Journal of Open Source Software*, 8(81), 4753. <https://doi.org/10.21105/joss.04753>
- Gee, M. W., Förster, Ch., & Wall, W. A. (2010). A computational strategy for prestressing patient-specific biomechanical problems under finite deformation. *International Journal for Numerical Methods in Biomedical Engineering*, 26(1), 52–72. <https://doi.org/10.1002/cnm.1236>
- Gee, M. W., Kelley, C. T., & Lehoucq, R. B. (2009). Pseudo-transient continuation for nonlinear transient elasticity. *International Journal for Numerical Methods in Engineering*, 78(10), 1209–1219. <https://doi.org/10.1002/nme.2527>
- Göktepe, S., Abilez, O. J., Parker, K. K., & Kuhl, E. (2010). A multiscale model for eccentric and concentric cardiac growth through sarcomerogenesis. *J Theor Biol*, 265(3), 433–442. <https://doi.org/10.1016/j.jtbi.2010.04.023>
- Guccione, J. M., Costa, K. D., & McCulloch, A. D. (1995). Finite element stress analysis of left ventricular mechanics in the beating dog heart. *J Biomech*, 28(10), 1167–1177. [https://doi.org/10.1016/0021-9290\(94\)00174-3](https://doi.org/10.1016/0021-9290(94)00174-3)
- Hirschvogel, M. (2019). *Computational modeling of patient-specific cardiac mechanics with model reduction-based parameter estimation and applications to novel heart assist technologies* (1st ed.). Verlag Dr. Hut, MediaTUM. <https://mediatum.ub.tum.de/1445317>
- Hirschvogel, M., Balmus, M., Bonini, M., & Nordsletten, D. (2022). Fluid-reduced-solid interaction (FrSI): Physics- and projection-based model reduction for cardiovascular applications. *Preprint, Submitted to Elsevier*. <https://doi.org/10.2139/ssrn.4281317>
- Hirschvogel, M., Bassilious, M., Jagschies, L., Wildhirt, S. M., & Gee, M. W. (2017). A monolithic 3D-0D coupled closed-loop model of the heart and the vascular system: Experiment-based parameter estimation for patient-specific cardiac mechanics. *Int J Numer Method Biomed Eng*, 33(8), e2842. <https://doi.org/10.1002/cnm.2842>

- Hirschvogel, M., Jagschies, L., Maier, A., Wildhirt, S. M., & Gee, M. W. (2019). An in-silico twin for epicardial augmentation of the failing heart. *Int J Numer Method Biomed Eng*, 35(10), e3233. <https://doi.org/10.1002/cnm.3233>
- Holzappel, G. A. (2000). *Nonlinear solid mechanics – A continuum approach for engineering*. Wiley Press Chichester.
- Holzappel, G. A., & Ogden, R. W. (2009). Constitutive modelling of passive myocardium: A structurally based framework for material characterization. *Phil Trans R Soc A*, 367(1902), 3445–3475. <https://doi.org/10.1098/rsta.2009.0091>
- Logg, A., Mardal, K.-A., & Wells, G. N. (Eds.). (2012). *Automated solution of differential equations by the finite element method – the FEniCS book*. Springer. <https://doi.org/10.1007/978-3-642-23099-8>
- Luepker, R. V. (2011). Cardiovascular disease: Rise, fall, and future prospects. *Annual Review of Public Health*, 32(12), 1–3. <https://doi.org/10.1146/annurev-publhealth-112810-151726>
- Maas, S. A., Ellis, B. J., Ateshian, G. A., & Weiss, J. A. (2012). FEBio: Finite elements for biomechanics. *J Biomech Eng*, 134(1), 011005. <https://doi.org/10.1115/1.4005694>
- Nordsletten, D. A., McCormick, M., Kilner, P. J., Hunter, P., Kay, D., & Smith, N. P. (2011). Fluid-solid coupling for the investigation of diastolic and systolic human left ventricular function. *International Journal for Numerical Methods in Biomedical Engineering*, 27(7), 1017–1039. <https://doi.org/10.1002/cnm.1405>
- Plank, G., Loewe, A., Neic, A., Augustin, C., Huang, Y.-L., Gsell, M. A. F., Karabelas, E., Nothstein, M., Prassl, A. J., Sánchez, J., Seemann, G., & Vigmond, E. J. (2021). The openCARP simulation environment for cardiac electrophysiology. *Computer Methods and Programs in Biomedicine*, 208, 106223. <https://doi.org/10.1016/j.cmpb.2021.106223>
- Rognes, M. E., Farrell, P. E., Funke, S. W., Hake, J. E., & Maleckar, M. M. C. (2017). cbcbeat: An adjoint-enabled framework for computational cardiac electrophysiology. *The Journal of Open Source Software*, 2(13), 224. <https://doi.org/10.21105/joss.00224>
- Schein, A., & Gee, M. W. (2021). Greedy maximin distance sampling based model order reduction of prestressed and parametrized abdominal aortic aneurysms. *Advanced Modeling and Simulation in Engineering Sciences*, 8(18). <https://doi.org/10.1186/s40323-021-00203-7>
- Taylor, C. A., Fonte, T. A., & Min, J. K. (2013). Computational fluid dynamics applied to cardiac computed tomography for noninvasive quantification of fractional flow reserve. *JACC*, 61(22), 2233–2241. <https://doi.org/10.1016/j.jacc.2012.11.083>
- Tezduyar, T. E., & Osawa, Y. (2000). Finite element stabilization parameters computed from element matrices and vectors. *Computer Methods in Applied Mechanics and Engineering*, 190(3–4), 411–430. [https://doi.org/10.1016/S0045-7825\(00\)00211-5](https://doi.org/10.1016/S0045-7825(00)00211-5)
- Updegrove, A., Wilson, N. M., Mewkow, J., Lan, H., Marsden, A. L., & Shadden, S. C. (2017). SimVascular: An open source pipeline for cardiovascular simulation. *Ann Biomed Eng*, 45(3), 525–541. <https://doi.org/10.1007/s10439-016-1762-8>
- Westerhof, N., Lankhaar, J.-W., & Westerhof, B. E. (2009). The arterial Windkessel. *Med Biol Eng Comput*, 47(2), H81–H88. <https://doi.org/10.1007/s11517-008-0359-2>
- Zhu, C., Vedula, V., Parker, D., Wilson, N., Shadden, S., & Marsden, A. (2022). svFSI: A multiphysics package for integrated cardiac modeling. *The Journal of Open Source Software*, 7(78), 4118. <https://doi.org/10.21105/joss.04118>